

73-701

Sterile Disposable Neoprene Glove with Low Allergy Potential



Sterile neoprene disposable gloves, designed for use in aseptic and Class 100 (ISO 5)/Grade A cleanroom environments

- Improved durability: TouchNTuff®
 DermaShield™ 73-701 sterile disposable gloves boast a unique neoprene formulation, resulting in greater durability and puncture resistance
- Reduced allergy risks: Designed for aseptic environments and free of latex proteins and chemical accelerators, these neoprene gloves pose a lesser risk of Type I and Type IV allergies and sensitivities
- Simplified wear: Their beaded cuff, designed with SUREFIT™ Cuff Roll-Down Technology, prevents cuffs from rolling down, facilitating sustained wear and avoiding inopportune liquid roll-off
- Heightened protection: Beyond robustness, these neoprene gloves offer wearers high levels of chemical splash resistance, protecting hands from various hazards
- Neoprene formulation: Excellent puncture resistance and durability
- Latex- and chemical accelerator-free:
 No Type I and Type IV allergy risks
- SUREFIT[™] Technology: Lesser risk of cuff roll-down



Industries

- Pharmaceutical Manufacturing
- Laboratory Research and Development
- Biotechnology Manufacturing
- Controlled and Critical Environments
- Production and Manufacturing

Recommended For

- Transferring liquids and solids
- Sample taking and processing
- Blending, compounding solids and liquids
- Aseptic filling and labelling





73-701

Sterile Disposable Neoprene Glove with Low Allergy Potential

TECHNICAL DATA SHEET

	Product Information
Material	Neoprene (Polychloroprene)
Color	Green
Shape	Anatomic with Curved Fingers
Cuff	Straight with SUREFIT™ Technology
Manufacturing/QMS Audit Standards	ISO 9001:2015
Regulatory	21 CFR § 820 Quality System regulations, AS/NZS 4179, ASTM D3577, ASTM D7160, CE 0493, EN 421:2010, EN 556-1:2001, EN ISO 21420:2020, EN ISO 374-1:2016, EN 374-2 and -4, EN ISO 374-5:2016, ISO 10282, ISO 11193, ISO 13485, ISO 14001, ISO 9001:2015
Packaging	1 pair per inner poly pack; 10 inner poly packs per inner polybag; 5 outer polybags per bag; 4 bags per master bag; 1 master bag of 200 pairs per carton/case
Storage	Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition.
Country of Origin	Malaysia
Available sizes	6.0, 6.5, 7.0 (S), 7.5, 8.0, 8.5, 9.0
Powder Content	Powder-Free
External Glove Surface	Textured Fingers
Internal Glove Surface	Polymer Coated with DERMASHIELD™ Technology
Sterilization Method	GAMMA irradiation (25 kGy)
Cleanroom Class	Class 100/ISO 5 & EU GMP Grade A
Shelf Life	5 years
Tested for use with Chemotherapy Drugs	Yes, in accordance with ASTM D6978 (Not listed in the US FDA 510k)
Protein Level	N/A: contains no natural rubber latex
Anti-static	No





73-701

Sterile Disposable Neoprene Glove with **Low Allergy Potential**

		T 1: M 11 1
Physical Properties		Testing Method
Typical Length	295 / 11.6	EN 420/ASTM D3767
(mm/in)	233 / 11.0	211 420//13111 23/0/
Freedom from Holes	0.65 AQL	EN 455-1/ASTM D3577
Typical Particle Count	≤ 3500	IEST-RP-CC005.4
≥0.5µm (counts / cm²)	2 3300	1E31-RP-CC005.4
Target Single Wall Palm	0.10 / 7	EN 100 / A CTA / D 77 C 7
Thickness (mm/mil)	0.18 / 7	EN 420/ASTM D3767
Target Single Wall		
Finger Thickness	0.19 / 7.5	EN 420/ASTM D3767
(mm/mil)	- 112 / 112	,
Target Single Wall Cuff		
Thickness (mm/mil)	0.15	EN 420/ASTM D3767
Ultimate tensile		
strength (MPa) Before	17	ASTM D412-06a
Aging	1/	A3111111112-008
Force at Break (N)	9	EN 455-2
Before Aging		

ORDERING INFORMATION

SIZE	6	6.5	7	7.5	8	8.5	9
REORDER NO.	387068	387069	387070	387071	387072	387073	387074

PERFORMANCE STANDARDS AND REGULATORY COMPLIANCE











For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01 Asia Pacific Region

Ansell Global Trading Center T: +603 8310 6688 F: +603 8310 6699

North America Region

Ansell Healthcare Products LLC US T: +1 800 800 0444 US F: +1 800 800 0445 CA T: +1-800-363-8340

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133

Australia

Ansell Limited T: +61 1800 337 041 F: +61 1800 803 578

UK

Ansell Nitritex T: +44 1638 663338 F: +44 1638 668890

Technology





Ansell, $^{\textcircled{R}}$ and $^{\textcircled{M}}$ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking $^{\textcircled{M}}$ 2022 Ansell Limited. All Rights Reserved.

